

# **SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

SDS #: 38178 ELFMATIC CVT

Date of the previous version: 2013-11-12 Revision Date: 2015-05-21 Version 2

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE

COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name ELFMATIC CVT

Number PJ6 Substance/mixture PJ6 Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Transmission fluid.

1.3. Details of the supplier of the safety data sheet

Supplier TOTAL LUBRIFIANTS

562 Avenue du Parc de L'ile 92029 Nanterre Cedex Tél: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71

#### For further information, please contact:

Contact Point HSE

E-mail Address rm.msds-lubs@total.com

### 1.4. Emergency telephone number

+33 1 49 00 00 49 (24h/24, 7d/7)

France - ORFILA (INRS) Tél: +33 (0)1 45 42 59 59

In France: - PARIS: Hôpital Fernand Widal 200, rue du Faubourg Saint-Denis 75475 Paris Cédex 10, Tel: 01.40.05.48.48. - MARSEILLE: Hopital Salvator, 249 bd Ste Marguerite 13274 Marseille cedex 5, Tel: 04.91.75.25.25. - LYON: Hopital Edouard Herriot, 5 place d'Arsonvol, 69437 Lyon cedex 3, Tel: 04.72.11.69.11. - NANCY: Hopital central, 29 Av du Mal De Lattre de Tassigny, 54000 Nancy, Tel: 03.83.32.36.36 ou le SAMU: Tel (15)

## Section 2: HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

#### REGULATION (EC) No 1272/2008 \*\*\*

For the full text of the H-Statements mentioned in this Section, see Section 2.2.\*\*\*

#### Classification\*\*\*

The product is not classified as dangerous according to Regulation (EC) No. 1272/2008\*\*\*

#### DIRECTIVE 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16



# **ELFMATIC CVT**

Revision Date: 2015-05-21 Version 2

The substance/mixture is non-dangerous in accordance with Directive(s) 67/548/EEC with amendments and/or 1999/45/EC with amendments

Symbol(s)
Not classified

### 2.2. Label elements

Labelled according to REGULATION (EC) No 1272/2008\*\*\*

Hazard Statements \*\*\*

None\*\*\*

**Precautionary Statements** 

None\*\*\*

### 2.3. Other hazards

Environmental properties Contaminated surfaces will be extremely slippery.\*\*\*

#### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixture

Hazardous ingredients Do not contain hazardous substance nor substance with european workplace exposure

limits in concentration above regulatory thresholds

Additional information Product containing mineral oil with less than 3% DMSO extract as measured by IP 346.

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16.

### Section 4: FIRST AID MEASURES

# 4.1. Description of first-aid measures

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR

EMERGENCY MEDICAL CARE.

**Eye contact** Rinse thoroughly with plenty of water, also under the eyelids.

Skin contact Remove contaminated clothing and shoes. Wash off with soap and water. Wash

contaminated clothing before reuse.\*\*\*

**Inhalation** Move to fresh air.



# **ELFMATIC CVT**

Revision Date: 2015-05-21 Version 2

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

physician or Poison Control Center immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Eye contact Not classified.

Skin contact Not classified.

**Inhalation** Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory

system.

Ingestion Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

### Section 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

Suitable Extinguishing Media Carbon dioxide (CO 2). ABC powder. Foam. Water spray or fog.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

#### 5.2. Special hazards arising from the substance or mixture

Special Hazard Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may

be highly dangerous if inhaled in confined spaces or at high concentration.

#### 5.3. Advice for fire-fighters

Special protective equipment for fire-fighters

Wear self-contained breathing apparatus and protective suit.

Other information Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing

water must be disposed of in accordance with local regulations.

### Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

General Information Do not touch or walk through spilled material. Contaminated surfaces will be extremely

slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all

sources of ignition.

### 6.2. Environmental precautions



# **ELFMATIC CVT**

Revision Date: 2015-05-21 Version 2

**General Information** 

Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

### 6.3. Methods and materials for containment and cleaning up

Methods for cleaning up Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g.

sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for

disposal.

#### 6.4. Reference to other sections

Personal Protective Equipment See Section 8 for more detail.

Waste treatment See section 13.

### Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Advice on safe handling When using, do not eat, drink or smoke. For personal protection see section 8. Use only in

well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes

and clothing.

Prevention of fire and explosion Take precautionary measures against static discharges: Ground/bond containers, tanks

and transfer/receiving equipment.

**Hygiene measures** Ensure the application of strict rules of hygiene by the personnel exposed to the risk of

contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been

contaminated with product. Do not put product contaminated rags into workwear pockets.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Technical measures/Storage** 

conditions

Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical

contacts. Protect from frost, heat and sunlight. Protect from moisture.

Materials to Avoid Strong oxidizing agents.

7.3. Specific end uses

Specific use(s)

No information available.\*\*\*

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION



# **ELFMATIC CVT**

Revision Date: 2015-05-21 Version 2

8.1. Control parameters

Exposure limits Mineral oil mist:

USA: OSHA (PEL) TWA 5 mg/m3, NIOSH (REL) TWA 5 mg/m3, STEL 10 mg/m3, ACGIH

(TLV) TWA 5 mg/m³ (highly refined)

**Legend** See section 16

8.2. Exposure controls

Occupational Exposure Controls

Engineering Measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

**Personal Protective Equipment** 

General Information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied.

Respiratory protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN

14387). Type A/P1. The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.\*\*\*

Eye Protection If splashes are likely to occur, wear:. Safety glasses with side-shields.

**Skin and body protection** Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.

Hand Protection Hydrocarbon-proof gloves: Fluorinated rubber, Nitrile rubber. Please observe the

instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. If used in solution, or mixed with other substances, and under conditions which differ from EN 374,

contact the supplier of the EC approved gloves.

**Environmental exposure controls** 

**General Information** The product should not be allowed to enter drains, water courses or the soil.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Color Blue green Physical State @20°C liquid



Vapor density

**logPow** 

# **ELFMATIC CVT**

**Revision Date: 2015-05-21** Version 2

Odor Characteristic

**Property** Values Remarks Method

Not applicable pН Boiling point/boiling range No information available

No information available

No information available

Flash point 175 °C Cleveland Open Cup (COC) 347 °F Cleveland Open Cup (COC)

**Evaporation rate** 

Flammability Limits in Air No information available No information available **Vapor Pressure** 

No information available

850 kg/m<sup>3</sup> @ 15 °C **Density** 

Insoluble

Water solubility No information available Solubility in other solvents

> No information available No information available

Viscosity, kinematic 27 mm2/s 6.4 mm2/s @ 40 °C ISO 3104 @ 100 °C ISO 3104

**Explosive properties** Not explosive

No information available **Oxidizing Properties** Possibility of hazardous reactions No information available

### 9.2. Other information

No information available\*\*\*

**Autoignition temperature** 

### Section 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

**General Information** No information available.

10.2. Chemical stability

Stability Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous Reactions** None under normal processing.

#### 10.4. Conditions to Avoid

**Conditions to Avoid** Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

#### 10.5. Incompatible Materials

Strong oxidizing agents. Materials to Avoid

#### 10.6. Hazardous Decomposition Products



# **ELFMATIC CVT**

Revision Date: 2015-05-21 Version 2

Hazardous Decomposition Products None under normal use.

#### Section 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

### Acute toxicity Local effects Product Information

Skin contact . Not classified.

Eye contact . Not classified.

**Inhalation** . Not classified. Inhalation of vapors in high concentration may cause irritation of

respiratory system.

Ingestion . Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

#### Acute toxicity - Component Information

**Sensitization** 

**Sensitization** Not classified as a sensitizer.

Specific effects

CarcinogenicityThis product is not classified carcinogenic.MutagenicityThis product is not classified as mutagenic.

**Reproductive toxicity**This product does not present any known or suspected reproductive hazards.

**Repeated Dose Toxicity** 

**Subchronic toxicity** No information available.

**Target Organ Effects (STOT)** 

Target Organ Effects (STOT) No information available.

Other information

Other adverse effects Characteristic skin lesions (pimples) may develop following prolonged and repeated

exposures (contact with contaminated clothing).

### Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Not classified.



# **ELFMATIC CVT**

Revision Date: 2015-05-21 Version 2

#### Acute aquatic toxicity - Product Information

No information available.

#### Acute aquatic toxicity - Component Information

No information available.

### Chronic aquatic toxicity - Product Information

No information available.

#### Chronic aquatic toxicity - Component Information

No information available.

### Effects on terrestrial organisms

No information available.

### 12.2. Persistence and degradability

#### **General Information**

No information available.

# 12.3. Bioaccumulative potential

**Product Information** No information available.

logPowNo information availableComponent InformationNo information available.\*\*\*

12.4. Mobility in soil

Soil Given its physical and chemical characteristics, the product generally shows low soil

mobility.

Air Loss by evaporation is limited.

Water Insoluble. The product spreads on the surface of the water.

### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

### 12.6. Other adverse effects

**General Information** No information available.

### Section 13: DISPOSAL CONSIDERATIONS



# **ELFMATIC CVT**

**Revision Date: 2015-05-21** Version 2

#### Waste treatment methods 13.1.

Waste from Residues / Unused

**Products** 

Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Where possible recycling is preferred to disposal or incineration. After use, this oil must be sent to a licensed waste oil facility. Incorrect disposal of used oil poses a risk to the environment. Mixture with other waste types such as solvents, brake- and cooling liquids is

forbidden.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal.

**EWC Waste Disposal No.** The following Waste Codes are only suggestions:. 13 02 05. According to the European

Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was

#### Section 14: TRANSPORT INFORMATION

Not regulated ADR/RID

Not regulated IMDG/IMO

Not regulated ICAO/IATA

Not regulated ADN

### Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

No information available\*\*\* International Inventories

Further information

No information available\*\*\*

15.2. Chemical Safety Assessment

No information available\*\*\* **Chemical Safety Assessment** 



SDS #: 38178 ELFMATIC CVT

Revision Date: 2015-05-21 Version 2

Section 16: OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3 Not applicable\*\*\*

Full text of H-Statements referred to under sections 2 and 3 Not applicable\*\*\*

Abbreviations, acronyms

Legend Section 8

TWA: Time Weight Average STEL: Short Time Exposure Limit

+ Sensitizer \* Skin designation

\*\* Garcinogen

M: Mutagen R: Toxic to reproduction

**Revision Date:** 2015-05-21

**Revision Note** \*\*\* Indicates updated section.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet