

### SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date: 2016-12-29

### SDS #: 083162 TRANSMISSION GEAR 8 75W-80

### Version 3.01

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Date of the previous version: 2016-11-25

Product name Number Substance/mixture TRANSMISSION GEAR 8 75W-80 DEM Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

#### **Identified uses**

Transmission fluid.

### 1.3. Details of the supplier of the safety data sheet

Supplier	TOTAL LUBRIFIANTS 562 Avenue du Parc de L'ile 92029 Nanterre Cedex FRANCE Tél: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71
	Fax: +33 (0)1 41 35 84 71

### For further information, please contact:

Contact Point	HSE
E-mail Address	rm.msds-lubs@total.com

### 1.4. Emergency telephone number

Emergency telephone: +44 1235 239670 France - ORFILA (INRS) Tél : +33 (0)1 45 42 59 59 In France - Poison centers: ANGERS : 02 41 48 21 21 BORDEAUX : 05 56 96 40 80 LILLE : 08 00 59 59 59 LYON : 04 72 11 69 11 MARSEILLE : 04 91 75 25 25 NANCY : 03 83 22 50 50 PARIS : 01 40 05 48 48 STRASBOURG : 03 88 37 37 37 TOULOUSE : 05 61 77 74 47

### Section 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

### REGULATION (EC) No 1272/2008



# **TRANSMISSION GEAR 8 75W-80**

Revision Date: 2016-12-29

Version 3.01

For the full text of the H-Statements mentioned in this Section, see Section 2.2.

#### Classification

The product is not classified as dangerous according to Regulation (EC) No. 1272/2008

### 2.2. Label elements

Labelled according to

REGULATION (EC) No 1272/2008

Signal Word None

Hazard Statements None

Precautionary Statements None

Supplemental Hazard Statements EUH210 - Safety data sheet available on request

EUH208 - Contains Polysulfides, di-tert-butyl May produce an allergic reaction

### 2.3. Other hazards

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.

Environmental properties

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixture

#### Hazardous ingredients

Chemical Name	EC-No	REACH registration No	CAS-No	Weight %	Classification (Reg. 1272/2008)
Distillates (petroleum), hydrotreated heavy paraffinic	265-157-1	01-2119484627-25	64742-54-7	3-<5	Asp. Tox. 1 (H304)
Polysulfides, di-tert-Bu	273-103-3	no data available	68937-96-2	1-<2.5	Skin Sens. 1 (H317) Aquatic Chronic 4 (H413)
zinc O,O,O',O'-tetrakis(1,3-dimet hylbutyl) bis(phosphorodithioate)	218-679-9	01-2119953275-34	2215-35-2	1-<2.5	Aquatic Chronic 2 H411 Eye Dam.1 H318 Skin Irrit. 2 H315
oleic acid, compound with (Z)-N-octadec-9-enylpropan e-1,3-diamine	254-754-2	no data available	40027-38-1	0.25-<1	STOT RE 2 (H373) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)

Should not be released into the environment.



# **TRANSMISSION GEAR 8 75W-80**

Revision Date: 2016-12-29

Version 3.01

Sodium metaborate, anhydrous	231-891-6	no data available	7775-19-1	0.1-<1	Repr. 2 (H361)
Phenol, dodecyl-, branched	310-154-3	01-2119513207-49	121158-58-5	0.01-<0.025	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Eye Irrit. 2 (H319) Repr. 2 (H361f) Skin Irrit. 2 (H315) Acute M factor = 10 Chronic M factor = 10

Additional information Product containing mineral oil with less than 3% DMSO extract as measured by IP 346.

### For the full text of the H-Statements mentioned in this Section, see Section 16.

### Section 4: FIRST AID MEASURES

### 4.1. Description of first-aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.			
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.			
Skin contact	Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse.			
Inhalation	Move to fresh air.			
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.			
4.2. Most important sympt	oms and effects, both acute and delayed			
Eye contact	Not classified. The supplier of some components contained within this formulation has indicated that the classification as irritant is not required.			
Skin contact	Not classified. May produce an allergic reaction.			
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.			
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.			
4.3. Indication of any imm	ediate medical attention and special treatment needed			
Notes to physician	Treat symptomatically.			
Section 5: FIRE-FIGHTING MEASURES				

### 5.1. Extinguishing media



### SDS #: 083162 **TRANSMISSION GEAR 8 75W-80** Revision Date: 2016-12-29 Version 3.01 Carbon dioxide (CO<sub>2</sub>). ABC powder. Foam. Water spray or fog. Suitable Extinguishing Media **Unsuitable Extinguishing Media** Do not use a solid water stream as it may scatter and spread fire. 5.2. Special hazards arising from the substance or mixture Incomplete combustion and thermolysis produces potentially toxic gases such as carbon **Special Hazard** monoxide and carbon dioxide. Sulfur oxides, Mercaptans, Hydrogen sulphide. 5.3. Advice for fire-fighters Special protective equipment for Wear self-contained breathing apparatus and protective suit. fire-fighters Other information Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Section 6: ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment and emergency procedures 6.1. **General Information** Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. 6.2. Environmental precautions **General Information** Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained. 6.3. Methods and material for containment and cleaning up Methods for cleaning up Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. 6.4. Reference to other sections **Personal Protective Equipment** See Section 8 for more detail. See section 13. Waste treatment Section 7: HANDLING AND STORAGE 7.1. Precautions for safe handling Advice on safe handling When using, do not eat, drink or smoke. For personal protection see section 8. Use only in



### **SDS #:** 083162 **TRANSMISSION GEAR 8 75W-80**

	Revision Date: 2016-12-29	Version 3.07
	well-ventilated areas. Do not breathe vapors or spray mist. Avoid conta and clothing.	ct with skin, eyes
Prevention of fire and explosion	Take precautionary measures against static discharges: Ground/bond or and transfer/receiving equipment.	containers, tanks
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel expose contact with the product. Regular cleaning of equipment, work area and recommended. Wash hands before breaks and immediately after handle not use abrasives, solvents or fuels. Do not dry hands with rags that has contaminated with product. Do not put product contaminated rags into the	I clothing is ling the product. Do ve been
7.2. Conditions for safe st	corage, including any incompatibilities	
Technical measures/Storage conditions	Keep away from food, drink and animal feedingstuffs. Keep in a bunder container tightly closed. Keep preferably in the original container. Other indication of the regulation label on the new container. Do not remove t the containers (even if they are empty). Design the installations in order	wise reproduce all he hazard labels of

emissions of product (due to seal breakage, for example) onto hot casings or electrical

contacts. Protect from frost, heat and sunlight. Protect from moisture.

#### Materials to Avoid

Strong oxidizing agents.

### 7.3. Specific end uses

Specific use(s)

No information available.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Exposure limitsMineral oil mist:<br/>USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH<br/>(TLV) TWA 5 mg/m³ (highly refined)LegendSee section 16

### DNEL Worker (Industrial/Professional)

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7				5.4 mg/m³/8h (aerosol - inhalation)
Polysulfides, di-tert-Bu 68937-96-2			14.5 mg/m <sup>3</sup> Inhalation 3.33 mg/kg Dermal	
zinc O,O,O',O'-tetrakis(1,3-di methylbutyl) bis(phosphorodithioate) 2215-35-2			8.6 mg/m³ Inhalation 12.2 mg/kg bw/day Dermal	



# **TRANSMISSION GEAR 8 75W-80**

Revision Date: 2016-12-29

Version 3.01

oleic acid, compound			0.29 mg/m <sup>3</sup> (inhalation)	
with			0.04 mg/kg bw/day	
(Z)-N-octadec-9-enylprop			(dermal)	
ane-1,3-diamine				
40027-38-1				
Sodium metaborate,	8.8 mg/m <sup>3</sup> Inhalation	15.3 mg/m <sup>3</sup> Inhalation	8.8 mg/m <sup>3</sup> Inhalation	15.3 mg/m <sup>3</sup> Inhalation
anhydrous			413.9 mg/kg bw/day	
7775-19-1			Dermal	
Phenol, dodecyl-,	166 mg/kg bw/day		0.25 mg/kg bw/day	
branched	Dermal		Dermal	
121158-58-5	44.18 mg/m <sup>3</sup> Inhalation		1.7621 mg/m <sup>3</sup> Inhalation	
DNEL Consumer				
Chemical Name	Short term, systemic	Short term, local effects	Long term, systemic	Long term, local effects
	effects		effects	
Distillates (petroleum),				1.2 mg/m <sup>3</sup> /24h (aerosol -
hydrotreated heavy				inhalation)
paraffinic				
64742-54-7				
Polysulfides, di-tert-Bu			2.6 mg/m <sup>3</sup> Inhalation	
68937-96-2			1.66 mg/kg Dermal	
zinc			2.13 mg/m <sup>3</sup> Inhalation	
O,O,O',O'-tetrakis(1,3-di			6.1 mg/kg bw/day Dermal	
methylbutyl)			0.24 mg/kg bw/day Oral	
bis(phosphorodithioate)				
2215-35-2				
Sodium metaborate,	4.44 mg/m <sup>3</sup> Inhalation		4.44 mg/m <sup>3</sup> Inhalation	15.3 mg/m <sup>3</sup> Inhalation
anhydrous	1.03 mg/kg bw/day Oral		208.8 mg/kg bw/day	
7775-19-1			Dermal	
			1.03 mg/kg bw/day Oral	
Phenol, dodecyl-,	50 mg/kg bw/day Dermal		0.075 mg/kg bw/day	
branched	13.26 mg/m <sup>3</sup> Inhalation		Dermal	
121158-58-5	1.26 mg/kg bw/day Oral		0.79 mg/m <sup>3</sup> Inhalation	
			0.075 mg/kg bw/day Oral	
Predicted No Effect Con	centration			

# Predicted No Effect Concentration (PNEC)

Chemical Name	Water	Sediment	Soil	Air	STP	Oral
Polysulfides,	0.00024 mg/l fw	7589 mg/kg dw	1513 mg/kg dw		4.51 mg/l	6.66 mg/kg food
di-tert-Bu	0.000024 mg/l	fw				
68937-96-2	mw	758.9 mg/kg dw				
	0.0000024 mg/l	mw				
	or					
zinc	0.004 mg/l fw	0.06 mg/kg dw fw	0.01 mg/kg dw		100 mg/l	10.67 mg/kg food
O,O,O',O'-tetrakis(1,	0.0046 mg/l mw	0.006 mg/kg dw				
3-dimethylbutyl)	0.045 mg/l or	mw				
bis(phosphorodithio						
ate)						
2215-35-2						
oleic acid,	0.00646 mg/l (fw)	204 mg/kg dw	9.93 mg/kg dw		99.3 mg/l	
compound with	0.000646 mg/l	(fw)				
(Z)-N-octadec-9-eny	(mw)	20.4 mg/kg dw				
Ipropane-1,3-diamin		(mw)				



# **TRANSMISSION GEAR 8 75W-80**

Revision Date: 2016-12-29

Version 3.01

e 40027-38-1					
Sodium metaborate, anhydrous 7775-19-1	1.35 mg/l fw 1.35 mg/l mw 9.1 mg/l or	1.8 mg/kg dw fw 1.8 mg/kg dw mw	5.4 mg/kg dw	1.75 mg/l	
Phenol, dodecyl-, branched 121158-58-5	0.000074 mg/l fw 0.0000074 mg/l	0.226 mg/kg fw dw 0.0266 mg/kg mw dw	0.118 mg/kg dw	100 mg/l	4 mg/kg food

8.2. Exposure controls

### Occupational Exposure Controls

Engineering Measures	Apply technical measures to comply with the occupational exposure limits. When working i confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.		
Personal Protective Equipment			
General Information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.		
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). Type A/P1. The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.		
Eye Protection	Tightly fitting safety goggles. Safety glasses with side-shields.		
Skin and body protection	Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.		
Hand Protection	Hydrocarbon-proof gloves: Fluorinated rubber, Nitrile rubber. In case of prolonged contact with the product, it is recommended to wear gloves complying with EN 420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the appropriateness of its use and its replacement frequency.		

### **Environmental exposure controls**

**General Information** 

The product should not be allowed to enter drains, water courses or the soil.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance Color Physical State @20°C Odor limpid yellow To amber liquid Characteristic



# **TRANSMISSION GEAR 8 75W-80**

Revision Date: 2016-12-29

Version 3.01

Odor Threshold		No information available	
<u>Property</u> pH Melting point/range	<u>Values</u>	<u>Remarks_</u> Not applicable Not applicable	<u>Method</u>
Boiling point/boiling range		No information available	
Flash point	> <b>190 °C</b> > 374 °F		Cleveland Open Cup (COC) Cleveland Open Cup (COC)
Evaporation rate Flammability Limits in Air		No information available No information available	
upper Lower Vapor Pressure Vapor density Relative density Density Water solubility Solubility in other solvents logPow Autoignition temperature Decomposition temperature Viscosity, kinematic Explosive properties Oxidizing Properties Possibility of hazardous reactions	0.887 - 0.897 887 - 897 kg/m <sup>3</sup> 45 - 50 mm2/s Not explosive Not applicable No information available	No information available No information available No information available @ 15 °C @ 15 °C Insoluble No information available No information available No information available @ 40 °C	ISO 3104
9.2. Other information Freezing Point		No information available	
Section 10: STABILITY AND	D REACTIVITY		
10.1. Reactivity			
General Information	No information available.		
10.2. Chemical stability			
Stability	Stable under recommend	ded storage conditions.	
10.3. Possibility of hazardo	ous reactions		
Hazardous Reactions	None under normal proc	essing.	
10.4. Conditions to Avoid			
Conditions to Avoid	Heat (temperatures abov	ve flash point), sparks, ignition p	points, flames, static electricity.
			Version E



# **TRANSMISSION GEAR 8 75W-80**

**Revision Date: 2016-12-29** 

Version 3.01

### 10.5. Incompatible materials

Materials to Avoid Strong oxidizing agents.

### 10.6. Hazardous Decomposition Products

Hazardous Decomposition Products None under normal use. Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

Section 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Acute toxicity Local effects Product Information

Skin contact Eye contact	<ul> <li>Not classified. May produce an allergic reaction.</li> <li>Not classified. The supplier of some components contained within this formulation has indicated that the classification as irritant is not required.</li> </ul>
Inhalation	. Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	. Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
ATEmix (oral)	54,747.00 mg/kg
ATEmix (dermal)	56,455.00 mg/kg
ATEmix (inhalation-dust/mist)	69.10 mg/l

#### Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Distillates (petroleum), hydrotreated heavy	LD50 > 5000 mg/kg bw (rat -	LD50 > 5000 mg/kg bw (rabbit -	LC50 (4h) > 5 mg/l (aerosol) (rat -
paraffinic	OECD 420)	OECD 402)	OECD 403)
Polysulfides, di-tert-Bu	LD50 5500 mg/kg	LD50 2201 mg/kg	
zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)	LD50 2230 mg/kg (Rat - OECD 401)	LD50 > 25000 mg/kg (Rabbit - OECD 402)	
oleic acid, compound with (Z)-N-octadec-9-enylpropane-1,3-diamine	LD50 >2000 mg/kg bw (rat) (OCDE 423)	LD50 >2000 mg/kg bw (rat) (OCDE 402)	
Sodium metaborate, anhydrous	LD50 2330 mg/kg (Rat)	LD50 > 2000 mg/kg (Rabbit)	LC50 (4h) > 2.04 mg/l (Rat - Dust - OECD 403)
Phenol, dodecyl-, branched	LD50 2700 mg/kg (Rat)	LD50 > 3160 mg/kg (Rat)	

**Sensitization** 

### Sensitization

Not classified as a sensitizer. Contains sensitizer(s). May produce an allergic reaction. The supplier of one of the components contained within this formulation has indicated that they have data, which confirms that at the concentration used, no sensitisation classification is required .

#### Specific effects

Carcinogenicity Mutagenicity This product is not classified carcinogenic. This product is not classified as mutagenic.



# **TRANSMISSION GEAR 8 75W-80**

**Revision Date: 2016-12-29** 

Version 3.01

**Reproductive toxicity** This product does not present any known or suspected reproductive hazards. Contains a known or suspected reproductive toxin.

Chemical Name		European Union	
Sodium metaborate, anhydrous		Repr. 2 (H361)	
7775-1	9-1		
Phenol, dodecy	-, branched	Repr. 2 (H361f)	
121158-	58-5		
Repeated Dose Toxicity			
Subchronic toxicity	No information available.		
Target Organ Effects (STOT)			
Target Organ Effects (STOT)	No information available.		
Other information			
Other adverse effects	Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).		

### Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Not classified. The supplier of one of the components contained within this formulation has indicated that they have data, which confirms that at the concentration used, no aquatic environmental hazard classification is required.

#### Acute aquatic toxicity - Product Information

No information available.

#### Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	EL50 (48h) > 100 mg/l (Pseudokirchnerella subcapitata - OECD 201)	EL50 (48h) > 10000 mg/l (Daphnia magna - OECD 202)	LL50 (96h) > 100 mg/l (Oncorhynchus mykiss - OECD 203)	
Polysulfides, di-tert-Bu 68937-96-2		EC50 (48h) > 1000 mg/l (Daphnia magna OECD 202)	LC50 (96h) 250-500 mg/l (Pimephales promelas - OECD 203)	
zinc O,O,O',O'-tetrakis(1,3-dimet hylbutyl) bis(phosphorodithioate) 2215-35-2	EL50 (72h) 21 mg/l (Desmodesmus subspicatus - Static - OECD 201)	EL50 (48h) 23 mg/l (Daphnia magna - static - OECD 202)	LL50 (96h) 4.5 mg/l (Oncorhynchus mykiss - semi static - OECD203)	
oleic acid, compound with (Z)-N-octadec-9-enylpropan e-1,3-diamine 40027-38-1	EC50(72h) 0.41 mg/l (pseudokirchneriella subcapitata) (OCDE 201)		LC50(96h) 1.34 mg/l (Danio rerio) (OCDE 203)	
Sodium metaborate, anhydrous		LC50 (48h) 133 mg/l (Daphnia magna - static)	LC50 (96h) 74 mg/l (Limanda limanda)	



# **TRANSMISSION GEAR 8 75W-80**

Revision Date: 2016-12-29

Version 3.01

7775-19-1				
Phenol, dodecyl-, branched	EbC50 (72h) 0.15 mg/l	EC50(48h) 0.037 mg/l	EL50(96h) 40 mg/l	
121158-58-5	(Scenedesmus subspicatus -	(Daphnia magna - static -	Pimephales promelas	
	OECD 201)	OECD 202)	semi-static (OECD 203)	

### Chronic aquatic toxicity - Product Information

No information available.

### Chronic aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7		NOEL (21d) 10 mg/l (Daphnia magna - QSAR Petrotox)	NOEL (14/28d) > 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox)	
zinc O,O,O',O'-tetrakis(1,3-dimet hylbutyl) bis(phosphorodithioate) 2215-35-2		NOEC (21d) 0.4 mg/l (Daphnia magna - OECD 211)		
Phenol, dodecyl-, branched 121158-58-5		NOEC(21d) 0.0037 mg/l (Daphnia magna - semi-static - OECD 211)		

### Effects on terrestrial organisms

No information available.

### 12.2. Persistence and degradability

### General Information

No information available.

### 12.3. Bioaccumulative potential

#### **Product Information**

No information available.

### logPow

No information available

### Component Information

Chemical Name	log Pow
Distillates (petroleum), hydrotreated heavy paraffinic - 64742-54-7	-
Polysulfides, di-tert-Bu - 68937-96-2	5.6
zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate) -	2.21
2215-35-2	
Phenol, dodecyl-, branched - 121158-58-5	7.14

12.4. Mobility in soil

Soil

Given its physical and chemical characteristics, the product generally shows low soil mobility.

Air

Loss by evaporation is limited.



# **TRANSMISSION GEAR 8 75W-80**

Revision Date: 2016-12-29

Version 3.01

Water	Insoluble. The product spreads on the surface of the water.
12.5. Results of PBT and v	/PvB assessment
PBT and vPvB assessment	No information available.
12.6. Other adverse effect	<u>S</u>
General Information	No information available.
Section 13: DISPOSAL CON	ISIDERATIONS
13.1. Waste treatment me	
Waste from Residues / Unused Products	Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Where possible recycling is preferred to disposal or incineration. After use, this oil must be sent to a licensed waste oil facility. Incorrect disposal of used oil poses a risk to the environment. Mixture with other waste types such as solvents, brake- and cooling liquids is

 forbidden.

 Contaminated packaging
 Empty containers should be taken to an approved waste handling site for recycling or disposal.

 EWC Waste Disposal No.
 The following Waste Codes are only suggestions:. 13 02 05. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste

codes should be assigned by the user based on the application for which the product was

### Section 14: TRANSPORT INFORMATION

used.

ADR/RID	Not regulated
IMDG/IMO_	Not regulated
ICAO/IATA	Not regulated
ADN	Not regulated

### Section 15: REGULATORY INFORMATION

# <u>15.1.</u> Safety, health and environmental regulations/legislation specific for the substance or mixture

### European Union



# **TRANSMISSION GEAR 8 75W-80**

**Revision Date: 2016-12-29** 

Version 3.01

Further information

No information available

15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available

Section 16: OTHER INFORMATION

#### Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H319 Causes serious eye irritation
- H361 Suspected of damaging fertility or the unborn child if swallowed
- H361f Suspected of damaging fertility
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H411 Toxic to aquatic life with long lasting effects
- H413 May cause long lasting harmful effects to aquatic life

#### Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists

bw = body weight

bw/day = body weight/day

EC x = Effect Concentration associated with x% response

GLP = Good Laboratory Practice

IARC = International Agency for Research of Cancer

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals

LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals LL = Lethal Loading

NIOSH = National Institute of Occupational Safety and Health

- NOAEL = No Observed Adverse Effect Level
- NOEC = No Observed Effect Concentration
- NOEL = No Observed Effect Level
- OECD = Organization for Economic Co-operation and Development
- OSHA = Occupational Safety and Health Administration
- UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material

DNEL = Derived No Effect Level

- PNEC = Predicted No Effect Concentration
- dw = dry weight

fw = fresh water

mw = marine water

or = occasional release

Legend Section 8



# **TRANSMISSION GEAR 8 75W-80**

**Revision Date:** 2016-12-29

Version 3.01

TWA: Time	Weight Average		
	t Time Exposure Limit		
PEL: Permi	ssible exposure limit		
REL: Recor	nmended exposure limit		
TLV: Thresh	nold Limit Values		
+	Sensitizer	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction

 Revision Date:
 2016-12-29

 Revision Note
 \*\*\* Indicates updated section.

 This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the Safety Data Sheet