

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SDS #: 083375

TRANSMISSION GEAR 9 FE 75W-80

Date of the previous version: 2	2016-11-23	Revision Date: 2016-12-29	Version 3.01
Section 1: IDENTIFICATI		SUBSTANCE/MIXTURE AND OF THE	
1.1. Product identifier			
Product name Number Substance/mixture	TRANSMIS DGW Mixture	SSION GEAR 9 FE 75W-80	
1.2. Relevant identified	uses of the s	substance or mixture and uses advised	d against
Identified uses	Transmissio	on fluid.	
1.3. Details of the supp	lier of the sat	fety data sheet	
Supplier	TOTAL LUE 562 Avenue 92029 Nant FRANCE	e du Parc de L'ile	

Tél: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71

For further information, please contact:

Contact Point	HSE
E-mail Address	rm.msds-lubs@total.com

1.4. Emergency telephone number

Emergency telephone: +44 1235 239670 France - ORFILA (INRS) Tél : +33 (0)1 45 42 59 59 In France - Poison centers: ANGERS: 02 41 48 21 21 BORDEAUX: 05 56 96 40 80 LILLE: 08 00 59 59 59 LYON: 04 72 11 69 11 MARSEILLE: 04 91 75 25 25 NANCY: 03 83 22 50 50 PARIS: 01 40 05 48 48 STRASBOURG: 03 88 37 37 37 TOULOUSE: 05 61 77 74 47

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture



TRANSMISSION GEAR 9 FE 75W-80

Revision Date: 2016-12-29

Version 3.01

REGULATION (EC) No 1272/2008

For the full text of the H-Statements mentioned in this Section, see Section 2.2.

Classification

The product is not classified as dangerous according to Regulation (EC) No. 1272/2008

2.2. Label elements

Labelled according to

REGULATION (EC) No 1272/2008

Signal Word None

Hazard Statements None

Precautionary Statements None

Supplemental Hazard Statements EUH210 - Safety data sheet available on request

EUH208 - Contains Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl. May produce an allergic reaction

2.3. Other hazards

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.

Environmental properties

Should not be released into the environment.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixture

Hazardous ingredients

Chemical Name	EC-No	REACH registration No	CAS-No	Weight %	Classification (Reg. 1272/2008)
Distillates (petroleum), hydrotreated heavy paraffinic***	265-157-1	01-2119484627-25	64742-54-7	20- <30	Asp. Tox. 1 (H304)
Distillates (petroleum), solvent-dewaxed heavy paraffinic	265-169-7	01-2119471299-27	64742-65-0	3-<5	Asp. Tox. 1 (H304)
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide,	931-384-6	01-2119493620-38	۸	0.1-<1	Acute Tox. 4 (H302) Aquatic Chronic 2 (H411) Eye Dam. 1 (H318)



TRANSMISSION GEAR 9 FE 75W-80

Revision Date: 2016-12-29

Version 3.01

propoxylated, esterified with			Skin Sens. 1 (H317)
diphosphorus pentaoxide, and salted by amines,			
C12-14- tert-alkyl			

Additional information Product containing mineral oil with less than 3% DMSO extract as measured by IP 346.

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section 4: FIRST AID MEASURES

4.1. Description of first-aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.
Skin contact	Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. Take victim immediately to hospital.
Inhalation	Move to fresh air.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

4.2. Most important symptoms and effects, both acute and delayed

Eye contact	Not classified.
Skin contact	Not classified. May produce an allergic reaction.
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician	Treat symptomatically.
--------------------	------------------------

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media	Carbon dioxide (CO 2). ABC powder. Foam. Water spray or fog.
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire.



TRANSMISSION GEAR 9 FE 75W-80

	7577-80			
	Revision Date: 2016-12-29 Ve	rsion 3.01		
5.2. Special hazards arisi	ng from the substance or mixture			
Special Hazard	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.			
5.3. Advice for fire-fighter	rs			
Special protective equipment for fire-fighters	Wear self-contained breathing apparatus and protective suit.			
Other information	Cool containers / tanks with water spray. Fire residues and contaminated fire exti water must be disposed of in accordance with local regulations.	inguishing		
Section 6: ACCIDENTAL R	ELEASE MEASURES			
6.1. Personal precautions	s, protective equipment and emergency procedures			
General Information	Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.			
6.2. Environmental preca	utions			
General Information	Do not allow material to contaminate ground water system. Try to prevent the ma entering drains or water courses. Local authorities should be advised if significan cannot be contained. See Section 12 for additional Ecological Information.			
6.3. Methods and materia	al for containment and cleaning up			
Methods for cleaning up	Dam up. Contain spillage, and then collect with non-combustible absorbent mate sand, earth, diatomaceous earth, vermiculite) and place in container for disposal to local / national regulations (see section 13). Keep in suitable, closed container disposal.	according		
6.4. Reference to other se	ections_			
Personal Protective Equipment	See Section 8 for more detail.			
Waste treatment	See section 13.			
Section 7: HANDLING AND	STORAGE			
7.1. Precautions for safe	Hahutting			

7.1. Precautions for safe handling

Advice on safe handling

When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.



TRANSMISSION GEAR 9 FE 75W-80

	Revision Date: 2016-12-29 Version 3.01
Prevention of fire and explosion	Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment.
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.
7.2. Conditions for safe sto	prage, including any incompatibilities
Technical measures/Storage conditions	Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.
Materials to Avoid	Strong oxidizing agents.
7.3. Specific end uses	
Specific use(s)	No information available.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limitsMineral oil mist:
USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH
(TLV) TWA 5 mg/m³ (highly refined)

Legend

See section 16

DNEL Worker (Industrial/Professional)

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Distillates (petroleum), hydrotreated heavy paraffinic*** 64742-54-7				5.4 mg/m³/8h (aerosol - inhalation)
Distillates (petroleum), solvent-dewaxed heavy paraffinic 64742-65-0				5.4 mg/m³/8h (aerosol - inhalation)
Reaction products of 4-methyl-2-pentanol and			12.5 mg/kg/8h (dermal) 8.56 mg/m ³ /8h	



TRANSMISSION GEAR 9 FE 75W-80

Revision Date: 2016-12-29

Version 3.01

diphosphorus	(inhalation)
pentasulfide,	(ECHA CHEM)
propoxylated, esterified	
with diphosphorus	
pentaoxide, and salted by	
amines, C12-14-	
tert-alkyl	
DNEL Consumer	

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Distillates (petroleum), hydrotreated heavy				1.2 mg/m ³ /24h (aerosol - inhalation)
paraffinic*** 64742-54-7				
Distillates (petroleum), solvent-dewaxed heavy paraffinic 64742-65-0				1.2 mg/m³/24h (aerosol - inhalation)
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus			6.25 mg/kg/24h (dermal) 2.2 mg/m³/24h (inhalation) 0.25 mg/kg/24h (oral) (ECHA CHEM)	
pentaoxide, and salted by amines, C12-14- tert-alkyl				

Predicted No Effect Concentration (PNEC)

Chemical Name	Water	Sediment	Soil	Air	STP	Oral
Reaction products	0.0012 mg/l fw	3.13 mg/kg fw	2.54 mg/kg soil		24.33 mg/l	10 mg/kg food
of	0.00012 mg/l mw	0.313 mg/kg mw	dw			
4-methyl-2-pentanol	0.064 mg/ or					
and diphosphorus						
pentasulfide,						
propoxylated,						
esterified with						
diphosphorus						
pentaoxide, and						
salted by amines,						
C12-14- tert-alkyl						
^						

8.2. Exposure controls

Occupational Exposure Controls

Engineering Measures

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for



TRANSMISSION GEAR 9 FE 75W-80

	Revision Date: 2016-12-29	Version 3.01
	breathing and wear the recommended equipment.	
Personal Protective Equipment		
General Information	If the product is used in mixtures, it is recommended that you contac protective equipment suppliers. These recommendations apply to th	
Respiratory protection	None under normal use conditions. When workers are facing concer exposure limit they must use appropriate certified respirators. Respi filter for vapour/particulate (EN 14387). Type A/P1. The use of breat comply strictly with the manufacturer's instructions and the regulatio choices and uses.	rator with combination thing apparatus must
Eye Protection	If splashes are likely to occur, wear:. Safety glasses with side-shield	ls.
Skin and body protection	Wear suitable protective clothing. Protective shoes or boots. Long sl	leeved clothing.
Hand Protection	Hydrocarbon-proof gloves: Nitrile rubber, Fluorinated rubber. In case with the product, it is recommended to wear gloves complying with E standards, protecting at least for 480 minutes and having a thicknes These values are indicative only. The level of protection is provided glove, its technical characteristics, its resistance to the chemicals to appropriateness of its use and its replacement frequency.	EN 420 and EN 374 is of 0,38 mm at least. by the material of the

Environmental exposure controls

General Information

The product should not be allowed to enter drains, water courses or the soil.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Color Physical State @20°C Odor Odor Threshold		limpid yellow To brown liquid Characteristic No information available	
<u>Property</u> pH Melting point/range	Values_	<u>Remarks</u> Not applicable Not applicable	<u>Method</u>
Boiling point/boiling range		No information available	
Flash point	> 200 °C > 392 °F		Cleveland Open Cup (COC) Cleveland Open Cup (COC)
Evaporation rate		No information available	



TRANSMISSION GEAR 9 FE 75W-80

Revision Date: 2016-12-29

Version 3.01

	Revision Da	te: 2016-12-29	version 3.0
Flammability Limits in Air		No information available	
upper Lower Vapor Pressure Vapor density Relative density Density Water solubility Solubility in other solvents logPow Autoignition temperature Decomposition temperature Viscosity, kinematic Explosive properties Oxidizing Properties Possibility of hazardous reactions	0.844 - 0.860 844 - 860 kg/m ³ 50 - 54 mm2/s 9.1 - 9.6 mm2/s Not explosive Not applicable No information available	No information available No information available No information available No information available @ 20 °C @ 20 °C Insoluble No information available No information available No information available No information available @ 40 °C @ 100 °C	ASTM D 4052 ASTM D 4052 ASTM D 445 ASTM D 445
9.2. Other information			
Freezing Point		No information available	
Section 10: STABILITY AND	REACTIVITY		
10.1. Reactivity			
General Information	No information available.		
10.2. Chemical stability			
Stability	Stable under recommend	ded storage conditions.	
10.3. Possibility of hazardo	ous reactions		
Hazardous Reactions	None under normal proce	essing.	
10.4. Conditions to Avoid			
Conditions to Avoid	Heat (temperatures abov	e flash point), sparks, ignition	points, flames, static electricity.
10.5. Incompatible materia	als_		
Materials to Avoid	Strong oxidizing agents.		
10.6. Hazardous Decompo	sition Products		

Hazardous Decomposition Products None under normal use. Incomplete combustion and thermolysis may produce gases of



TRANSMISSION GEAR 9 FE 75W-80

Revision Date: 2016-12-29

Version 3.01

varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity Local effects Product Information

Skin contact Eye contact Inhalation	 Not classified. May produce an allergic reaction. Not classified. Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	. Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
ATEmix (oral)	16,024.00 mg/kg
ATEmix (dermal)	16,024.00 mg/kg
ATEmix (inhalation-gas)	> 5,000.00
ATEmix (inhalation-dust/mist)	16.30 mg/l
ATEmix (inhalation-vapor)	373.30 mg/l

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Distillates (petroleum), hydrotreated heavy	LD50 > 5000 mg/kg bw (rat -	LD50 > 5000 mg/kg bw (rabbit -	LC50 (4h) > 5 mg/l (aerosol) (rat -
paraffinic***	OECD 420)	OECD 402)	OECD 403)
Distillates (petroleum), solvent-dewaxed	LD50 > 5000 mg/kg bw (rat -	LD50 > 5000 mg/kg bw (rabbit -	LC50 (4h) > 5 mg/l (aerosol) (rat -
heavy paraffinic	OECD 420)	OECD 402)	OECD 403)
Reaction products of 4-methyl-2-pentanol	LD50 2000 mg/kg bw (Rat -		-
and diphosphorus pentasulfide,	OECD TG 401)		
propoxylated, esterified with diphosphorus			
pentaoxide, and salted by amines, C12-14-			
tert-alkyl			

Sensitization

Sensitization	Not classified as a sensitizer. Contains sensitizer(s). May produce an allergic reaction.
Specific effects	
Carcinogenicity Mutagenicity Reproductive toxicity	This product is not classified carcinogenic. This product is not classified as mutagenic. This product does not present any known or suspected reproductive hazards.
Repeated Dose Toxicity	
Subchronic toxicity	No information available.
Target Organ Effects (STOT)	
Other information	



TRANSMISSION GEAR 9 FE 75W-80

Revision Date: 2016-12-29

exposures (contact with contaminated clothing).

Characteristic skin lesions (pimples) may develop following prolonged and repeated

Version 3.01

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Other adverse effects

Not classified.

Acute aquatic toxicity - Product Information

No information available.

Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Distillates (petroleum), hydrotreated heavy paraffinic*** 64742-54-7	EL50 (48h) > 100 mg/l (Pseudokirchnerella subcapitata - OECD 201)	EL50 (48h) > 10000 mg/l (Daphnia magna - OECD 202)	LL50 (96h) > 100 mg/l (Oncorhynchus mykiss - OECD 203)	
Distillates (petroleum), solvent-dewaxed heavy paraffinic 64742-65-0	EL50 (72h) > 100 mg/l (Pseudokirchnerella subcapitata - OECD 201)	EL50 (48h) > 10000 mg/l (Daphnia magna - OECD 202)	LL50 (96h) > 100 mg/l (Oncorhynchus mykiss - OECD 203)	
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl ^	EL50 (96h) > 15 mg (Selenastrum capricornutum - OECD 201) EC50 (96h) 6.4 mg/l (Pseudokirchnerella subcapitata - OECD 201) EC50 (96h) 15 mg/l (Pseudokirchnerella subcapitata - OECD 201) EC50 (96h) 6.4 mg/L (Selenastrum capricornutum- OECD TG 201) (ECHA CHEM)	EL50 (48h) ca. 91.4 mg/l (Daphnia magna - OECD 202)	LL50 (96h) ca. 24 mg/l (Oncorhynchus mykiss - OECD 203)	

<u>Chronic aquatic toxicity</u> - Product Information No information available.

Chronic aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Distillates (petroleum), hydrotreated heavy paraffinic*** 64742-54-7		NOEL (21d) 10 mg/l (Daphnia magna - QSAR Petrotox)	NOEL (14/28d) > 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox)	
Distillates (petroleum), solvent-dewaxed heavy		NOEL (21d) 10 mg/l (Daphnia magna - OECD	NOEL (14/28d) > 1000 mg/l (Oncorhynchus mykiss -	



TRANSMISSION GEAR 9 FE 75W-80

Revision Date: 2016-12-29

Version 3.01

paraffinic 64742-65-0		211)	QSAR PETROTOX)	
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl ^	NOEC (96h) 1.7 mg/l (Pseudokirchnerella subcapitata - OECD 201) par NOEC (96h) 3.3 mg/l (Pseudokirchnerella subcapitata - OECD 201)	EL50 (21d) 0.91 mg/l (Daphnia magna - OECD 211) NOEL (21d) 0.12 mg/l (Daphnia magna - OECD 211) EL50 (21d) 0.66 mg/l (Daphnia magna - OECD 211)	-	EC50 (3h) ca. 2433 mg/L (Activated Sludge, domestic - OECD TG 209) (ECHA CHEM)

Effects on terrestrial organisms

No information available.

12.2. Persistence and degradability

General Information

No information available.

12.3. Bioaccumulative potential

Product Information

No information available. No information available

logPow

Component Information	
Chemical Name	log Pow
Distillates (petroleum), hydrotreated heavy paraffinic*** - 64742-54-7	-
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and	< 0.30 to >7.10 (OECD TG 117) (ECHA CHEM)
salted by amines, C12-14- tert-alkyl - ^	

12.4. Mobility in soil

Soil	Given its physical and chemical characteristics, the product generally shows low soil mobility.
Air	Loss by evaporation is limited.
Water	Insoluble. The product spreads on the surface of the water.
12.5. Results of PBT and vPvB assessment	
PBT and vPvB assessment	No information available.
12.6. Other adverse eff	ects

General Information No information available.



TRANSMISSION GEAR 9 FE 75W-80

Revision Date: 2016-12-29

Version 3.01

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused Dispose of in accordance with the European Directives on waste and hazardous waste. Products Dispose of in accordance with local regulations. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. After use, this oil must be sent to a licensed waste oil facility. Incorrect disposal of used oil poses a risk to the environment. Mixture with other waste types such as solvents, brake- and cooling liquids is forbidden. **Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal. EWC Waste Disposal No. The following Waste Codes are only suggestions:. 13 02 05. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

ADR/RID	Not regulated
IMDG/IMO	Not regulated
ICAO/IATA	Not regulated
ADN	Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Further information

No information available

15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available



TRANSMISSION GEAR 9 FE 75W-80

Revision Date: 2016-12-29

Version 3.01

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

- H304 May be fatal if swallowed and enters airways
- H302 Harmful if swallowed
- H411 Toxic to aquatic life with long lasting effects
- H318 Causes serious eye damage
- H317 May cause an allergic skin reaction

Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists

- bw = body weight
- bw/day = body weight/day

EC x = Effect Concentration associated with x% response

GLP = Good Laboratory Practice

IARC = International Agency for Research of Cancer

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals

LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals LL = Lethal Loading

NIOSH = National Institute of Occupational Safety and Health

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

NOEL = No Observed Effect Level

OECD = Organization for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material

DNEL = Derived No Effect Level

PNEC = Predicted No Effect Concentration

- dw = dry weight
- fw = fresh water

mw = marine water

or = occasional release

Legend Section 8

TWA: Time Weight Average

STEL: Short Time Exposure Limit

- PEL: Permissible exposure limit
- REL: Recommended exposure limit

TLV: Threshold Limit Values

+ Sensitizer

** Hazard Designation M: Mutagen Skin designation Carcinogen Toxic to reproduction

C:

R:

 Revision Date:
 2016-12-29

 Revision Note
 *** Indicates updated section.

 This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006



TRANSMISSION GEAR 9 FE 75W-80

Revision Date: 2016-12-29

Version 3.01

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the Safety Data Sheet

Page 14/14